EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	260	(divid\$7 adj request) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S2	101	(distribut\$7 adj packets terminals) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S3	16	(distribut\$7 content data multiple packets) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S4	82	round robin (distribut\$7 adj packet) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S5	5	reconstitution adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S6	7	round robin packet distribut\$7 and (content server) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S7	161	round robin packet distribut\$7 and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S8	38	round robin packet content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S9	59	(status adj message) (active or alive or dead or inactive) and "370".clas. and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2011/10/12 11:01
S10	340	packet weighted round robin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2011/10/12 11:01
S11	242	multiple wide area connection and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2011/10/12 11:01

S12	341	multiple wide area connection and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S13	11	multiple wide adj area adj connection and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S14	370	multiple WAN connection and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S15	50	multiple WAN near/2 connections and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2011/10/12 11:01
S19	1	WAN "no connections" and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2011/10/12 11:01
S21	5	(node or terminal or device) different adj connection near3 Internet and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S22	9	terminal different wan link and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S23	7	terminal different wan connection and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S24	789	terminal connect$4 lan wan and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S25	23	terminal connect$4 lan wan direct and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S26	11	terminal connect$4 adj lan connect$4 adj wan and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S27	33	terminal lan connect$4 adj wan and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01

S28	62	terminal lan connect54 near wan and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S29	28	terminal connect54 near lan connect54 near wan and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S30	14	connect54 near lan connect54 near wan different and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S31	96	(terminal or user adj device) wan adj (interface or connection) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S34	160	(terminal or user device) wan adj (interface or connection) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S35	278	client wan adj (interface or connection) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S36	65	client near3 wan adj (interface or connection) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S37	14	heartbeat distributed server and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S38	502	heartbeat (distributed or cluster) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S39	119	heartbeat (distributed or cluster) server and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S41	2	heartbeat (distributed or cluster) external and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S42	1	heartbeat (distributed or cluster) domain and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01

S43	36	heartbeat (distributed or cluster) master and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/10/12 11:01
S53	66797	client server and (mesh or distributed or adhoc or ad$hoc) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:44
S54	9483	client server content and (mesh or distributed or adhoc or ad$hoc) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:44
S55	298	client server content and (mesh or distributed or adhoc or ad$hoc) and (divid$4 or split$4) request and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:45
S56	159	client server content and (mesh or distributed or adhoc or ad$hoc) and reconstitut$4 and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:46
S57	160	client server content and (mesh or distributed or adhoc or ad$hoc) and (reconstitut$4 or re$constitut$4) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:46
S58	606	client server content and (mesh or distributed or adhoc or ad$hoc) and ((load shar$4) or (load$shar$4)) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:49
S59	1896	client server content and (mesh or distributed or adhoc or ad$hoc) and ((load balanc$4) or (load$balanc$4)) and (@rlad<"20030807" or @ad<"20030807")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:49
S60	48	("20040224694" | "0152414" | "20020152414" | "5390239" | "20030174714" | "20030031180" | "20040243702" | "1029544" | "2010866" | "6178449" | "20020114332" | "6023724" | "7088737" | "6853637" | "5790548" | "20010030977" | "20030061321").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:51
S61	206	((PAUL) near2 (EVANS)).INV.	US-PGPUB; USPAT	WITH	ON	2011/11/15 10:51
S62	14	S61 and (message).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:51
S63	5	S61 and (rout$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:51
S64	8	S61 and (terminal).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:52

S65	1	S61 and (reconstitut$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 10:52
S66	65679	370/229,230,230.1,231,232,235,235.1,236,237,238,310,328,338,351,369,390,392,394,395.1,396,400,411,431,432,437,464,465,473,477,498,535,536,542.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 11:00
S67	18565	455/403,422.1,450,451,452.1,452.2,453,455,462,464,39,500,507,509,510.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 11:04
S68	63254	709/200,201,202,203,223,225,226,227,229,230,232,238,243,249,250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 11:07
S69	1823	(S66 or S67 or S68) and client server content and (mesh or distributed or adhoc or ad$hoc or cluster) and ((load balanc$4) or (load$balanc$4) or (load shar$4) or (load$shar$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 11:09
S70	949	(S66 or S67 or S68) and (divid$4 or split$4 or aggregat$4) request and (mesh or distributed or adhoc or ad$hoc or cluster) and ((load balanc$4) or (load$balanc$4) or (load shar$4) or (load$shar$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2011/11/15 11:10

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S71	62649	370/229,230,230.1,231,232,235,235.1,236,237,238,310,328,338,351,369,390,392,394,395.1,396,400,411,431,432,437,464,465,473,477,498,535,536,542.ccls.	US-PGPUB; USPAT; UPAD	WITH	ON	2011/11/15 11:10
S72	16117	455/403,422.1,450,451,452.1,452.2,453,455,462,464,39,500,507,509,510.ccls.	US-PGPUB; USPAT; UPAD	WITH	ON	2011/11/15 11:10
S73	63700	709/200,201,202,203,223,225,226,227,229,230,232,238,243,249,250.ccls.	US-PGPUB; USPAT; UPAD	WITH	ON	2011/11/15 11:10
S74	27	(S71 or S72 or S73) and ((reconstitut$4 or re$constitut$4) and server).clm.	US-PGPUB; USPAT; UPAD	WITH	ON	2011/11/15 11:11
S75	90	(S71 or S72 or S73) and (content and request$4 divid$4).clm.	US-PGPUB; USPAT; UPAD	WITH	ON	2011/11/15 11:13

11/15/2011 11:20:08 AM
C:\Documents and Settings\khuynh2\Desktop\eastworkspaces\10567734\rce2.wsp